

Γνωσιακή βάση > Plesk > Άλλες > How can I enable a Password Protected Directory in Plesk Onyx?

How can I enable a Password Protected Directory in Plesk Onyx?

- 2020-02-12 - Άλλες

In order to enable a **Password Protected Directory** in Plesk, follow the instructions below.

1. Log into <u>myTophost Panel</u> and then select **Plesk Login** in order to connect to the Plesk of the plan that you are interested in.

	GR   <u>EN</u>	
Είσοδος στ myTophost P	ro Panel	
Email		
Password	-	
Eμφάνιση Password AΣΦΑΛΗΣ ΕΙΣΟΔΟ	Ζ	
<u>Υπενθύμιση Password</u> Δεν έ	έχετε λογαριασμό; <u>Εγγραφείτε τώρα</u>	

28	Καλώς ήλθες Οι υπηρεσίες μου								
•	Οι υπηρεσίες μου	Πακέτα Υ	πηρεσιών					AFG	PA NEOY ΠΑΚΕΤΟΥ
B	Account Data	Pack Id	Πακέτο	Υπηρεσίες	Κατάσταση	<u>Ημ/α λήξης</u>	Plesk Login		Διαχείριση
≜	Billing	128583	Linux Starter	G	Ενεργό	11/08/2017	Plesk Login	Ανανέωση	Διαχείριση
R	Support	Domain I	Names					Ar	OPA NEOY DOMAIN

2. In the tab Websites & Domains select Password Protected Directories.

Plesk Web Host Edition			Logged in as <b>niko</b> Subscription <b>toph</b>					
Search Q	Websites & Domains							
Websites & Domains	This is where you set up and manage websites.							
🖨 Mail	Add Domain Add Subdomain Add Domain Alias		7 🛶					
资 Applications	nikos.gr							
📑 Files	Website at a 1 address: 193.92.97.30 System user:							
Databases	🐈 Hosting Settings 🔊 Open 👿 Preview Suspend Disable Description							
L Statistics	File Manager	Mail	Databases Add Database					
L Users			or Select Existing Database					
-		∧ SHOW	LESS					
Account	Web Hosting Access	FTP Access	Hosting Settings					
	PHP Settings PHP version: 5.4.16	Apache & nginx Settings	Presence Builder					
	Applications	File Manager	Web Statistics					
	DNS Settings	Email Addresses	Mail Set					
	Limit Outgoing Messages	SSL Certificates	Password-Protected Directories					
	Website Copying	Logs	🔯 Web Users					
	Remove Website	Let's Encrypt						

3. Click on Add Protected Directory.



4. In **Directory Name**, enter a name for your directory. Leave Title of the protected area blank since it's not mandatory. In our example, we put "test".

Plesk	
Web Host Edition	
Search Q	Password protected directories
Websites & Domains	Create a protected directory under the site
🚖 Mail	Settings
☆ Applications	Title of the protected area
Files	
🗧 Databases	* Required fields OK Cancel
<b>Statistics</b>	
上 Users	
🖻 Account	

5. Select the **protected directory that you created** and add a new user (username / password) by clicking on **Add New User**.

Plesk Web Host Edition							
Search Q	Protected Directories Under the Website 🎽 🔲						
📀 Websites & Domains	Information: Protected directory /test was successfully created.						
🚖 Mail	Tools						
🔯 Applications							
Files	Add Protected						
🛢 Databases							
<b>Statistics</b>	Protected directories						
上 Users	Remove Protection						
🖻 Account	Search     Reset Search       Total Protected directories: 2     2						
	Name 🔺						
	/plesk-stat						
	Total Protected directories: 2						

6. Enter a Username and Password so that the user can log in with this information,

when they type the Protected Directory.

G Websites & Domains	Protected directory /test on domain
🚖 Mail	Tools
Applications	Add a Directory Settings
Files	Protected directory users
🗧 Databases	No Protected dire pory users
<b>III</b> Statistics	
上 Users	
🖻 Account	
	N N

Plesk Web Host Edition						
Search Q	Password protected directories //test					
📀 Websites & Domains	Create user for the protected directory /test					
	Protected directory user					
	Username *		±			
Applications	Old password	*****				
Files	New password *	•••••	٩	Strong	(?)	
😑 Databases	Confirm password *		٩			
<b>I</b> Statistics	* Required fields	ОК	Cancel			
👤 Users						
🖻 Account						