


Knowledgebase > Plesk > Resellers > Πώς δημιουργώ έναν customer και ένα subscription μέσω του Reseller λογαριασμό μου;

Πώς δημιουργώ έναν customer και ένα subscription μέσω του Reseller λογαριασμό μου;

- 2020-03-16 - Resellers


Σε περίπτωση που κατέχετε Reseller λογαριασμό στην Top.Host και επιθυμείτε να δημιουργήσετε έναν customer με ένα subscription, ακολουθήστε τις οδηγίες που περιγράφονται παρακάτω:

1. Συνδεθείτε στο [myTophost Panel](#) και από εκεί επιλέξτε **Plesk Login** για να συνδεθείτε στο Plesk του Reseller πακέτου που σας ενδιαφέρει.




Πακέτα Υπηρεσιών						ΑΓΟΡΑ ΝΕΟΥ ΠΑΚΕΤΟΥ
Pack Id	Πακέτο	Κατάσταση	Ημ/α λήξης	Plesk Login		Διαχείριση Υπηρεσίας
	Linux Reseller Standard	Ενεργό	11/04/2020	Plesk Login	Διαχείριση Συνδρομής	Διαχείριση Υπηρεσίας

2. Επιλέξτε **Customers**



The screenshot shows the Plesk Home page. On the left sidebar, the 'Customers' menu item is highlighted with a red rectangle. The main content area shows the 'Home' page with an 'Overview' section. The 'Overview' section displays various statistics: Setup date (July 30, 2019), Service plan (542), Disk space (0.5 MB used of 50 GB), and Traffic (0 MB/month used of 500 GB/month). Below these statistics, there are links for 'View detailed resource usage' and 'My resources and permissions overview'. At the bottom of the 'Overview' section, there are two summary rows: 'All subscriptions' (1 total, 0 overusing) and 'Service plans' (0 total, [add new]).

3. Add a Customer



The screenshot shows the Plesk Customers page. The sidebar on the left has the 'Customers' menu item highlighted. The main content area shows the 'Customers' page with a heading 'Customers' and a subheading 'Home >'. Below the heading, there is a text block explaining that this is where you manage accounts of your hosting service customers. Below the text, there are three buttons: 'Add a Customer' (highlighted with a red rectangle), 'Change Status', and 'Remove'. Below the buttons, there is a table with 1 item total. The table has two columns: 'Customer Name' and 'Subscription'. The first row shows a green checkmark in the 'Customer Name' column and '(Custom) (?)' in the 'Subscription' column.

4α. Συμπληρώστε τα στοιχεία επικοινωνίας

Adding New Customer

This is where you sign up a new customer to your hosting services. By this sign-up, you create a customer set of resources and services, not bound with any plans — for this, select 'None' next to the Service Plan.

Contact Information

Enter the customer contact information.

Contact name *	<input type="text" value="tophostCustomer1"/>
Email address *	<input type="text" value="user1@top.host"/>
Company name	<input type="text" value="anycompany"/>
Phone number	<input type="text" value="12345678910"/>
Address	<input type="text" value="Sigma Street"/>
City	<input type="text" value="Heraklion"/>
State/Province	<input type="text" value="Crete"/>
Postal/ZIP code	<input type="text" value="71601"/>
Country	<input type="text" value="Greece"/>
Additional Information	<div><div></div><div>Plain text only: All HTML tags will be ignored.</div></div>

4β. Δηλώστε ένα **Username (1)** και ένα **password (2)** σαν στοιχεία πρόσβασης στο Plesk του πελάτη σας.

Ενεργοποιώντας την επιλογή **Activate account by e-mail (3)**, ο λογαριασμός του πελάτη σας δημιουργείται αρχικά ως μη ενεργός (Suspended). Αποστέλεται ένα email επιβεβαίωσης ενεργοποίησης λογαριασμού στο email του πελάτη σας με τίτλο "*Please activate your account in Plesk*". Μόλις ο πελάτης επιβεβαιώσει το link αυτού του email, ο λογαριασμός ενεργοποιείται αυτόματα στο Plesk.

Information for the administrator

Description

Customers cannot see this description.

Access to Plesk

Credentials that the customer will use to access their Customer Panel.

Username *

1

Password *

2

Strong

(?)

Generate

Show

Repeat password *

3

☐ Activate account by e-mail

A created account is inactive until the user activates it with the link sent by email or the administrator activates the account manually.

4γ. Στην κατηγορία **Subscription**:

Subscription

1 Properties of the website provisioned together with the subscription.

☒ Create subscription for the customer

Clear this checkbox if you do not want to create a hosting service subscription or set up a website for the customer at this moment. Without a subscription, the customer will not be able to log in to Customer Panel.

Domain name * 2 www. tophostnereseller

IP address 94.130.33.101 (shared) ▼

IP address on which the website is hosted is a network address of the website's virtual host.

Username * 3 tophostgr

System user account used to manage files and folders of the websites created within the subscription.

Password * 4

Strong (?)

Generate Show

Confirm password * 5

Service plan 6 plan1 ▼

7 ☐ Proceed to customizing the subscription parameters after the customer is created. Note that doing this will lock the subscription for syncing.

Description

This information is visible only to the hosting provider (Plesk administrator or reseller).

Secure with an SSL/TLS Certificate

Let's Encrypt is a certificate authority (CA) that allows you to create a free SSL/TLS certificate for your domain. The certificate will be renewed automatically.

☐ Secure the domain with Let's Encrypt

Your Files to Copy to Hosting

If you leave Git support disabled, the root directories (website/application root and document root) will be created empty, and the site will display 404 (Not Found) errors. To avoid this, you can enable Git support and upload files from a Git repository.

☐ Enable Git support

* Required fields 8 OK Cancel

1. Τσεκάρετε το κουτάκι "**Create subscription for the customer**" και έπειτα δηλώστε:
2. Το **domain name** του πελάτη σας.
3. Το **ftp username** που θα συνδέετε στα αρχεία του server.
4. Το **ftp password** που θα συνδέετε στα αρχεία του server.
5. Την **επαλήθευση** του ftp password που δηλώσατε στο 3ο βήμα.
6. Επιλέξτε το **πλάνο** που [έχετε ήδη δημιουργήσει αρχικά](#).
7. Ενεργοποιήσετε αυτή την επιλογή σε περίπτωση που επιθυμείτε να παραμετροποιήσετε τις τιμές του Subscription σας ανεξάρτητα από αυτές που έχουν οριστεί στο πλάνο. Εδώ αλλάζετε τις παραμέτρους τους Subscription πέρα από την επεξεργασία του πλάνου με το οποίο συσχετίζεται. Μόλις εφαρμόσετε αυτές τις αλλαγές, η συνδρομή θα κλειδωθεί (Locked), πράγμα που σημαίνει ότι δεν θα συγχρονιστεί με το πλάνο. Έτσι, όταν το σχετικό πλάνο αλλάξει, οι παράμετροι του Subscription θα παραμείνουν όπως τις ορίσατε τώρα.

8. Επιλέξτε **OK**.