


How can I create a subdomain in Plesk Onyx?

- 2021-08-24 - Άλλες

Σε περίπτωση που επιθυμείτε να προσθέσετε ένα subdomain μέσα στο Plesk σας, ακολουθείστε τις παρακάτω οδηγίες:

1. Συνδεθείτε στο [myTophost Panel](#) και από εκεί επιλέξτε **Plesk Login** για να συνδεθείτε στο Plesk του πακέτου που σας ενδιαφέρει.



Πακέτα Υπηρεσιών						ΑΓΟΡΑ ΝΕΟΥ ΠΑΚΕΤΟΥ
Pack Id	Πακέτο	Κατάσταση	Ημ/α λήξης	Plesk Login	Διαχείριση Υπηρεσίας	
	Linux Planet	Ενεργό	19/09/2020	Plesk Login	Ανανέωση	
					Διαχείριση Υπηρεσίας	

2. Στην καρτέλα **Websites & Domains**, επιλέξτε **Add subdomain**

Websites & Domains

Website at [httpdocs/](#) IP address: [\[redacted\]](#) System user: [\[redacted\]](#)

[Hosting Settings](#) [Open in web](#) [Preview](#) [Description](#)

Start creating your website in one of the following ways:

WordPress
Create your website using WordPress.

Use Presence Builder
Create your site using our professional website builder.

[Install WordPress](#) [Create Site](#)

3. Στην καρτέλα Add a subdomain, συμπληρώστε τα παρακάτω πεδία.

Add a Subdomain

Subdomains are Internet addresses for different sections of your website. They use your main domain name and a prefix. For example, if your domain is domain.com, a subdomain might be store.domain.com. You can also create a wildcard subdomain by entering the * symbol instead of the name. Site visitors will be redirected to this subdomain regardless of the subdomain name they enter in a browser.

Subdomain name *

Enter * to create a wildcard subdomain.

Hosting Settings

Document root *

The path to the website home directory.

Secure with an SSL/TLS Certificate

Let's Encrypt is a certificate authority (CA) that allows you to create a free SSL/TLS certificate for your domain. The certificate will be renewed automatically every month. By clicking the "OK" button you acknowledge that you have read and agree to the Let's Encrypt Terms of Service.

Secure the domain with Let's Encrypt

Your Files to Copy to Hosting

If you leave Git support disabled, the root directories (website/application root and document root) will be created empty, and the site will display the default page in the browser. You will need to upload the files of your site to the document root using FTP or File Manager. Alternatively, enable Git now or later (in Websites & Domains) and upload files from a Git repository.

Enable Git support

* Required fields

- **Parent Domain** - Δηλώστε το domain κάτω από το οποίο θα υπάρχει το subdomain (1)
- **Subdomain name** - Δηλώστε το όνομα του subdomain (2)
- **Document Root** - Δηλώστε τον root φάκελο του subdomain στο οποίο θα ανεβάζετε τα αρχεία του subdomain (3)
- Τέλος κάντε κλικ στο **OK** (4)

Δείτε επίσης:

[Πως δημιουργώ ένα νέο domain alias μέσα από το Plesk Onyx;](#)

[Πως δημιουργώ ένα νέο domain μέσα από το Plesk Onyx;](#)