

Εγκατάσταση SSL στο cPanel

Ioanna Anifanti - 2020-01-14 - cPanel / WHM


Εφόσον έχετε ακολουθήσει όλα τα [προηγούμενα βήματα](#) και η εκδούσα αρχή προχωρήσει με την επικύρωση του SSL σας, εκδίδονται τα τελικά κλειδιά τα οποία θα σας αποσταλούν στο email του διαχειριστή του SSL.

Πιο συγκεκριμένα θα αποσταλούν τα εξής κλειδιά :

- **Main**
- **Intermediate**
- **Root certificate.**

Για να εγκαταστήσετε αυτά τα κλειδιά στο cPanel σας, ακολουθήστε τα παρακάτω βήματα.

1. Συνδεθείτε στο cPanel και στην κατηγορία **Security** κάντε κλικ στην επιλογή **SSL/TLS**.



2. Στην συνέχεια στην κατηγορία **Install and Manage SSL for your site (HTTPS)** κάντε κλικ στην επιλογή **Manage SSL sites**.



SSL/TLS

The SSL/TLS Manager will allow you to generate SSL certificates, certificate signing requests, and private keys. The information such as logins, credit card numbers, etc are sent encrypted instead of plain text. It is important to see over the web.

Private Keys (KEY)

[Generate, view, upload, or delete your private keys.](#)

Certificate Signing Requests (CSR)

[Generate, view, or delete SSL certificate signing requests.](#)

Certificates (CRT)

[Generate, view, upload, or delete SSL certificates.](#)

Install and Manage SSL for your site (HTTPS)

[Manage SSL sites.](#)



3. Στο παράθυρο που θα σας ανοίξει θα χρειαστεί να συμπληρώσετε τα εξής πεδία:

3.1. Στο πεδίο **Domain** επιλέξτε από το drop down list το domain για το οποίο εκδόθηκε αρχικά το CSR ([Βήμα 1](#))

3.2. **Certificate: (CRT)**: Σε αυτό το πεδίο επικολλήστε το **Main κλειδί** που στάλθηκε στο email του διαχειριστή, το οποίο θα πρέπει να ξεκινάει με

---BEGIN CERTIFICATE REQUEST---

και να τελειώνει με

---END CERTIFICATE REQUEST---

3.3. **Private Key (KEY)**: Σε αυτό το πεδίο εντοπίστε το **Private key** που υπάρχει ήδη στο server, το οποίο παράχθηκε μαζί με το CSR. Δείτε [εδώ](#) πως μπορείτε να το βρείτε, ώστε να το αντιγράψετε και να το επικολλήσετε στο πεδίο αυτό.

Το Private Key θα πρέπει να ξεκινάει με

-----BEGIN RSA PRIVATE KEY-----

Και να τελειώνει με

-----END RSA PRIVATE KEY-----

3.4. **Certificate Authority Bundle: (CABUNDLE)**: Σε αυτό το πεδίο θα πρέπει να επικολλήσετε το **Intermediate KAI το Root certificate**, το ένα κάτω από το άλλο χωρίς κενή γραμμή. Και τα δύο κλειδιά θα ξεκινάνε με

---BEGIN CERTIFICATE REQUEST---

και θα τελειώνουν με

---END CERTIFICATE REQUEST---

3.5. Τέλος επιλέξτε **Install Certificate**

Note: You don't have a dedicated IP address. Browsers that were released before 2013 may not support [SNI](#). Becau

Browse Certificates

Domain

(+ subdomains: autodiscover, cpanel, mail, webdisk, w

Autofill by Domain

IP Address

Certificate: (CRT)

2. Επικολλήστε το Main κλειδί

The certificate may already be on your server. You can either paste the certificate here or try to retrieve it for your domain.

Private Key (KEY)

3. Επικολλήστε το Private κλειδί

The private key may already be on your server. You can either paste the private key here or try to retrieve the matching key for your certificate.

Certificate Authority Bundle: (CABUNDLE)

4. Επικολλήστε το Intermediate και το Root certificate, το ένα κάτω από το άλλο

In most cases, you do not need to supply the CA bundle because the server will fetch it from a public repository during installation.

5

Install Certificate

Reset